



HVAC | 2021
CANADIAN MSRP PRICE BOOK
Effective: January 1, 2021



HVAC DIVISION
AD-PB-MSRP-HVAC-NAPCDN-21

THE ONLY VIRUS KILLING FURNACE



Ultimate 9700 Series Gas Furnace



TABLE OF CONTENTS

04

FURNACES

- 4 9700 Series Two Stage
- 5 9600 Series Two Stage
- 6 9600E Series Two Stage
- 7 9600Q Series Two Stage
- 8 9500 Series Single Stage

09

HYBRID SERIES

- 9 HMF150 Series Hybrid
- 10 HMF200 Series Hybrid

11

COOLING

- 11 Central Air Conditioners
- 12 Uncased Coils
- 14 Cased Coils
- 16 Winter Air Conditioner Covers

17

CENTRAL HEAT PUMPS AND AIR HANDLERS

- 17 Central Heat Pumps and Air Handlers

18

DUCTLESS

- 18 Inverter Ductless Split

20

CASSETTES AND THERMOSTATS

- 20 Cassettes and Thermostats

21

INDOOR AIR QUALITY

- 21 HRV/ERV
- 22 UV-C Technology

23

CONDO PACK

- 23 11 EER High-Efficiency Gas
- 25 11 EER High-Efficiency Electric
- 27 12 SEER High-Efficiency Gas
- 29 12 SEER High-Efficiency Electric
- 31 Static Airflow Rates
- 33 Duct Only



We are proud to be recognized as one of Canada's Best Managed Companies and are dedicated to providing quality home comfort products for over 40 years and counting.

Prices listed in Canadian dollars. Napoleon strives for accuracy and the information in this Price Book reflects the information available at the time of publication. Occasionally, product specifications are updated or prices change without notice due to circumstances beyond our control. A correction notice will be issued if inaccuracies occur. The most current version of the Price Book can always be accessed through the dealer portal on my.napoleon.com. Wolf Steel Ltd reserves the right to make changes to prices and products without notice.

24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8

General Inquiries
Email: hvac@napoleon.com
Phone: 1-866-820-8686

Technical Inquiries
Email: hvacsupport@napoleon.com
Phone: 1-888-721-8324

Dealer Experience Team (For all PO and Order Inquiries)
Email: hvacsales@napoleon.com
Phone: 1-888-721-7253

IMPORTANT: PRODUCT MUST BE REGISTERED FOR FULL WARRANTY
Products may not be exactly as shown.



FURNACES

9700 SERIES TWO STAGE up to 97% Ultra High-Efficiency Gas Furnace



FEATURES & BENEFITS

- Up to 97% AFUE
- UV-C Technology Furnace Kit - installed
- Fully Insulated Cabinet for WHISPER QUIET™ Operation
- Modular Components
- Variable Speed Technology
- Patented Vortex Technology
- Two-Stage Heating
- Upflow Only
- SureView Burner Window

10 YEAR PARTS LIMITED WARRANTY

15 YEAR UNIT REPLACEMENT HEAT EXCHANGER LIMITED WARRANTY

LIFE TIME HEAT EXCHANGER LIMITED WARRANTY

FUEL TYPE**

- Natural Gas or Propane

PART ID	INPUT HIGH FIRE (BTU/H)	INPUT LOW FIRE (BTU/H)	EXTERNAL STATIC PRESSURE RANGE	CFM HIGH FIRE*	CFM LOW FIRE*	RETURN AIR (IN)	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING WIDTH (IN)	PLENUM OPENING LENGTH (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WUV040T2AA-N	40,000	24,000	ESP: 0.10" WC - 0.50" WC	607	405	14 X 23	34	17 1/2	31	16 1/4	19 5/8	137	\$3,315
WUV060T3AA-N	60,000	36,000	ESP: 0.12" WC - 0.50" WC	928	608	14 X 23	34	17 1/2	31	16 1/4	19 5/8	142	\$3,472
WUV080T3AA-N	80,000	48,000	ESP: 0.20" WC - 0.50" WC	1,149	802	14 X 23	34	17 1/2	31	16 1/4	19 5/8	149	\$3,626
WUV080T4BA-N	80,000	48,000	ESP: 0.20" WC - 0.50" WC	1,225	786	14 X 23	34	22 1/2	31	21 1/4	19 5/8	169	\$3,915
WUV100T5BA-N	100,000	60,000	ESP: 0.20" WC - 0.50" WC	1,628	1,134	14 X 23	34	22 1/2	31	21 1/4	19 5/8	174	\$4,314
WUV120T5BA-N	120,000	72,000	ESP: 0.20" WC - 0.50" WC	1,833	1,306	14 X 23	34	22 1/2	31	21 1/4	19 5/8	187	\$4,601

*Average airflow rate. **Ships as natural gas.

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
W370-0018	Conversion Kit - Natural Gas To Propane	\$180
W370-0019	Concentric Vent Kit - 2"	\$143
W370-0020	Concentric Vent Kit - 3"	\$181
W250-0009	MERV 11 Filter - 3 Pack (16 x 25)	\$133
NNA-NC1625-A	MERV 11 Media Filter - 16 x 25	\$120
W250-0010	MERV 11 Filter - 3 Pack (20 x 25)	\$143
NNA-NC2025-A	MERV 11 Media Filter - 20 x 25	\$133
UVB18	18 Watt UV-C Replacement Lamp	\$65
NT144HCNPH	1H/1C Non Programmable Thermostat - Horizontal	\$58
NT144HCNPV	1H/1C Non Programmable Thermostat - Vertical	\$60
NT151HCPV	1H/1C 5/2 day Programmable Thermostat - Vertical	\$77
NT86HCEZ	1H/1C EZ Set Non Programmable Thermostat	\$84
NT953H2CP	3H/2C 7-day Programmable Thermostat - 12 sq.in. Touchscreen	\$286

FURNACES

9600 SERIES TWO STAGE

up to 96% High-Efficiency Gas Furnace



FEATURES & BENEFITS

- Up to 96% AFUE
- UV-C Technology Furnace Kit - optional
- WHISPER QUIET™ Operation
- Modular Components
- Variable Speed Technology
- Patented Vortex Technology
- Two-Stage Heating
- FlexFit - Upflow, Right, Left, Down
- SureView Burner Window

10 YEAR PARTS LIMITED WARRANTY

10 YEAR UNIT REPLACEMENT HEAT EXCHANGER LIMITED WARRANTY

LIFE TIME HEAT EXCHANGER LIMITED WARRANTY

FUEL TYPE**

- Natural Gas or Propane

PART ID	INPUT HIGH FIRE (BTU/H)	INPUT LOW FIRE (BTU/H)	EXTERNAL STATIC PRESSURE RANGE	CFM HIGH FIRE*	CFM LOW FIRE*	RETURN AIR (IN)	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING WIDTH (IN)	PLENUM OPENING LENGTH (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WPV040T2AA-N	40,000	24,000	ESP: 0.10" WC - 0.50" WC	607	405	14 X 23	34	17 1/2	29 1/2	16 1/4	19 5/8	126	\$2,316
WPV060T3AA-N	60,000	36,000	ESP: 0.12" WC - 0.50" WC	928	608	14 X 23	34	17 1/2	29 1/2	16 1/4	19 5/8	130	\$2,454
WPV080T3AA-N	80,000	48,000	ESP: 0.20" WC - 0.50" WC	1,149	802	14 X 23	34	17 1/2	29 1/2	16 1/4	19 5/8	137	\$2,606
WPV080T4BA-N	80,000	48,000	ESP: 0.20" WC - 0.50" WC	1,225	786	14 X 23	34	22 1/2	29 1/2	21 1/4	19 5/8	158	\$2,776
WPV100T5BA-N	100,000	60,000	ESP: 0.20" WC - 0.50" WC	1,628	1,134	14 X 23	34	22 1/2	29 1/2	21 1/4	19 5/8	163	\$2,984
WPV120T5BA-N	120,000	72,000	ESP: 0.20" WC - 0.50" WC	1,833	1,306	14 X 23	34	22 1/2	29 1/2	21 1/4	19 5/8	170	\$3,184

*Average airflow rate. **Ships as natural gas.

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
W370-0018	Conversion Kit - Natural Gas To Propane	\$180
W370-0019	Concentric Vent Kit - 2"	\$143
W370-0020	Concentric Vent Kit - 3"	\$181
W250-0009	MERV 11 Filter - 3 Pack (16 x 25)	\$133
NNA-NC1625-A	MERV 11 Media Filter - 16 x 25	\$120
W250-0010	MERV 11 Filter - 3 Pack (20 x 25)	\$143
NNA-NC2025-A	MERV 11 Media Filter - 20 x 25	\$133
W010-2785	UV-C Technology - Standard Grade Furnace Kit	\$245
UVB18	18 Watt UV-C Replacement Lamp	\$65
NT144HCNPH	1H/1C Non Programmable Thermostat - Horizontal	\$58
NT144HCNPV	1H/1C Non Programmable Thermostat - Vertical	\$60
NT151HCPV	1H/1C 5/2 day Programmable Thermostat - Vertical	\$77
NT86HCEZ	1H/1C EZ Set Non Programmable Thermostat	\$84
NT953H2CP	3H/2C 7-day Programmable Thermostat - 12 sq.in. Touchscreen	\$286

IMPORTANT: PRODUCT MUST BE REGISTERED FOR FULL WARRANTY
Products may not be exactly as shown.

FURNACES

9600E SERIES TWO STAGE

up to 96% High-Efficiency Gas Furnace



FEATURES & BENEFITS

- Up to 96% AFUE
- WHISPER QUIET™ Operation
- Modular Components
- Multi-Speed Technology
- Patented Vortex Technology
- Two-Stage Heating
- FlexFit - Upflow, Right
- SureView Burner Window - Optional

FUEL TYPE**

- Natural Gas or Propane

10 YEAR PARTS LIMITED WARRANTY

10 YEAR UNIT REPLACEMENT HEAT EXCHANGER LIMITED WARRANTY

LIFE TIME HEAT EXCHANGER LIMITED WARRANTY



PART ID	INPUT HIGH FIRE (BTU/H)	INPUT LOW FIRE (BTU/H)	EXTERNAL STATIC PRESSURE RANGE	CFM HIGH FIRE*	CFM LOW FIRE*	RETURN AIR (IN)	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING WIDTH (IN)	PLENUM OPENING LENGTH (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WSX040T2AA-EN	40,000	28,000	ESP: 0.10" WC - 0.50" WC	599	373	14 X 23	34	17 1/2	29 1/2	16 1/4	19 5/8	127	\$2,019
WSX060T3AA-EN	60,000	42,000	ESP: 0.12" WC - 0.50" WC	971	694	14 X 23	34	17 1/2	29 1/2	16 1/4	19 5/8	131	\$2,129
WSX080T3AA-EN	80,000	56,000	ESP: 0.20" WC - 0.50" WC	1,146	755	14 X 23	34	17 1/2	29 1/2	16 1/4	19 5/8	141	\$2,350

*Average airflow rate. **Ships as natural gas.

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
W370-0018	Conversion Kit - Natural Gas To Propane	\$180
W370-0019	Concentric Vent Kit - 2"	\$143
W370-0020	Concentric Vent Kit - 3"	\$181
NNA-NC1625-A	MERV 11 Media Filter - 16 x 25	\$120
W250-0009	MERV 11 Filter - 3 Pack (16 x 25)	\$133
NNA-NC2025-A	MERV 11 Media Filter - 20 x 25	\$133
W250-0010	MERV 11 Filter - 3 Pack (20 x 25)	\$143
NT144HCNPH	1H/1C Non Programmable Thermostat - Horizontal	\$58
NT144HCNPV	1H/1C Non Programmable Thermostat - Vertical	\$60
NT151HCPV	1H/1C 5/2 day Programmable Thermostat - Vertical	\$77
NT86HCEZ	1H/1C EZ Set Non Programmable Thermostat	\$84
NT953H2CP	3H/2C 7-day Programmable Thermostat - 12 sq.in. Touchscreen	\$286
GWG17	Glass Wedge Kit - SureView Burner Window	\$88

FURNACES

9600Q SERIES TWO STAGE

up to 96% High-Efficiency Gas Furnace



FEATURES & BENEFITS

- Up to 96% AFUE
- WHISPER QUIET™ Operation
- Modular Components
- Multi-Speed Technology
- Patented Vortex Technology
- Two-Stage Heating
- FlexFit - Upflow, Right

FUEL TYPE**

- Natural Gas or Propane

4 YEAR | PARTS
LIMITED WARRANTY

15 YEAR | HEAT EXCHANGER
LIMITED WARRANTY

Home owner can purchase
an extended warranty

10 YEAR | PARTS
LIMITED WARRANTY

20 YEAR | HEAT EXCHANGER
LIMITED WARRANTY

PART ID	INPUT HIGH FIRE (BTU/H)	INPUT LOW FIRE (BTU/H)	EXTERNAL STATIC PRESSURE RANGE	CFM HIGH FIRE*	CFM LOW FIRE*	RETURN AIR (IN)	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING WIDTH (IN)	PLENUM OPENING LENGTH (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WSX040T2AA-N	40,000	28,000	ESP: 0.10" WC - 0.50" WC	599	373	14 X 23	34	17 1/2	29 1/2	16 1/4	19 5/8	127	\$1,805
WSX060T3AA-N	60,000	42,000	ESP: 0.12" WC - 0.50" WC	971	694	14 X 23	34	17 1/2	29 1/2	16 1/4	19 5/8	131	\$1,915
WSX080T3AA-N	80,000	56,000	ESP: 0.20" WC - 0.50" WC	1,146	755	14 X 23	34	17 1/2	29 1/2	16 1/4	19 5/8	141	\$2,136

*Average airflow rate. **Ships as natural gas.

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
W370-0018	Conversion Kit - Natural Gas To Propane	\$180
W370-0019	Concentric Vent Kit - 2"	\$143
W370-0020	Concentric Vent Kit - 3"	\$181
W250-0009	MERV 11 Filter - 3 Pack (16 x 25)	\$133
W250-0010	MERV 11 Filter - 3 Pack (20 x 25)	\$143
NNA-NC1625-A	MERV 11 Media Filter - 16 x 25	\$120
NNA-NC2025-A	MERV 11 Media Filter - 20 x 25	\$133
NT144HCNPH	1H/1C Non Programmable Thermostat - Horizontal	\$58
NT144HCNPV	1H/1C Non Programmable Thermostat - Vertical	\$60
NT151HCPV	1H/1C 5/2 day Programmable Thermostat - Vertical	\$77
NT86HCEZ	1H/1C EZ Set Non Programmable Thermostat	\$84
NT953H2CP	3H/2C 7-day Programmable Thermostat - 12 sq.in. Touchscreen	\$286

IMPORTANT: PRODUCT MUST BE REGISTERED FOR FULL WARRANTY
Products may not be exactly as shown.

FURNACES

9500 SERIES SINGLE STAGE

up to 95% High-Efficiency Gas Furnace



FEATURES & BENEFITS

- Up to 95% AFUE
- WHISPER QUIET™ Operation
- Modular Components
- Vortex Technology
- Multi-Speed Technology
- Single-Stage Heating
- FlexFit - Upflow, Right, Left, Down

FUEL TYPE**

- Natural Gas or Propane

10 YEAR PARTS LIMITED WARRANTY

10 YEAR UNIT REPLACEMENT HEAT EXCHANGER LIMITED WARRANTY

LIFE TIME HEAT EXCHANGER LIMITED WARRANTY

PART ID	HEATING CAPACITY (BTU/H)	EXTERNAL STATIC PRESSURE RANGE	CFM HIGH FIRE*	RETURN AIR (IN)	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING WIDTH (IN)	PLENUM OPENING LENGTH (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WPX030S2AA-N	30,000	ESP: 0.10" WC - 0.50" WC	495	14 X 23	34	17 1/2	29 1/2	16 1/4	19 5/8	121	\$1,841
WPX040S2AA-N	40,000	ESP: 0.10" WC - 0.50" WC	691	14 X 23	34	17 1/2	29 1/2	16 1/4	19 5/8	120	\$1,972
WPX060S3AA-N	60,000	ESP: 0.12" WC - 0.50" WC	921	14 X 23	34	17 1/2	29 1/2	16 1/4	19 5/8	128	\$1,983
WPX080S3AA-N	80,000	ESP: 0.20" WC - 0.50" WC	1,284	14 X 23	34	17 1/2	29 1/2	16 1/4	19 5/8	134	\$2,145
WPX100S5BA-N	100,000	ESP: 0.20" WC - 0.50" WC	1,581	14 X 23	34	22 1/2	29 1/2	21 1/4	19 5/8	163	\$2,453

*Average airflow rate. **Ships as natural gas.

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
W370-0018	Conversion Kit - Natural Gas To Propane	\$180
W370-0019	Concentric Vent Kit - 2"	\$143
W370-0020	Concentric Vent Kit - 3"	\$181
W370-0027	Horizontal Installation Kit - 95% Gas Furnace	\$52
W250-0009	MERV 11 Filter - 3 Pack (16 x 25)	\$133
W250-0010	MERV 11 Filter - 3 Pack (20 x 25)	\$143
NNA-NC1625-A	MERV 11 Media Filter - 16 x 25	\$120
NNA-NC2025-A	MERV 11 Media Filter - 20 x 25	\$133
NT144HCNPH	1H/1C Non Programmable Thermostat - Horizontal	\$58
NT144HCNPV	1H/1C Non Programmable Thermostat - Vertical	\$60
NT151HCPV	1H/1C 5/2 day Programmable Thermostat - Vertical	\$77
NT86HCEZ	1H/1C EZ Set Non Programmable Thermostat	\$84
NT953H2CP	3H/2C 7-day Programmable Thermostat - 12 sq.in. Touchscreen	\$286

HYBRID SERIES

HMF150 SERIES HYBRID



Note: Contact your Napoleon Account Executive for availability prior to ordering.

FEATURES & BENEFITS

- 40,000 - 60,000 BTU's
- Hybrid Wood-Burning Cycle
- Multiple Configurations Available
- Wood Furnace
- Oil Furnace
- Gas Furnace
- Electric Furnace



IMPORTANT: PRODUCT MUST BE REGISTERED FOR FULL WARRANTY
Products may not be exactly as shown.

PART ID	HEATING CAPACITY (BTU/H)	RETURN AIR (IN)	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING WIDTH (IN)	PLENUM OPENING LENGTH (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
HMF150	110,000	14 X 23	51 1/4	29 1/8	32	24	22	700	\$4,779
OPTIONS									
NNA-NC1625-A	Napoleon MERV 11 Media Filter - 16 x 25							15	\$120
W250-0009	MERV 11 Filter - 3 Pack (16 x 25)							20	\$133
ADD-ON AIR CONDITIONING CONTROLS									
HMFK-AC1	Bypass Damper Position Switch Kit							1	\$130
HMFK-AC2	HMFK-BMP50 Air Conditioning Blower Relay Kit (HMFK-AC2 to be used with any AC install using HMFK-BMP50)							.6	\$202
DOORS - MUST CHOOSE HMFK-GLASS OR HMFK-SOLID DOOR TO COMPLETE FURNACE									
HMFK-GLASS	Cast Iron Door with Ceramic Viewing Glass							29	\$329
HMFK-SOLID	Cast Iron Door with Ceramic Fibre Insulation and Cover							47	\$422
ADD-ON TO NAPOLEON GAS FURNACES - SELECT FROM NAPOLEON 9500/9600 SERIES - 60,000 OR 80,000 BTU UNITS									
HMFK-ADDON	Add-On Module (Relay to Inter-Connect Existing Furnace)							.4	\$75
HMFK-GT	Transition Box (To connect HMF150 to Gas Furnace)							59	\$411
ADD-ON TO EXISTING GAS FURNACES									
HMFK-ADDON	Add-On Module (Relay to Inter-Connect Existing Furnace)							.4	\$75
WOOD ONLY CONFIGURATION									
HMFK-BMP50-1	Blower Box Cabinet - Complete with 4-speed, 1400 CFM Blower							79	\$844
WOOD/OIL CONFIGURATION									
HMFK-BMP50-1	Blower Box Cabinet - Complete with 4-speed, 1400 CFM Blower							79	\$844
HMFK-CMBCH-1	Stainless Steel Oil combustion Chamber and Heat Exchanger Module							74	\$2,656
HMFK-OFRF40	Oil Burner Module - Riello with Mounting Collar and Protective Cover							42	\$1,495
Or									
HMFK-OFBNX	Oil Burner Module - Beckett							40	\$1,369
HMFK-WMO	Kit, WMO Thermal Safety Switch							2	\$112
WOOD/ELECTRIC CONFIGURATION									
HMFK-BMP50-1	Blower Box Cabinet - Complete with 4-speed, 1400 CFM Blower							79	\$844
HMFK-EF15	Electric Furnace Module (15kw)							49	\$1,369
HMFK-EF18	Electric Furnace Module (18kw)							49	\$1,369
HMFK-EF20	Electric Furnace Module (20kw)							51	\$1,369
WOOD/OIL/ELECTRIC CONFIGURATION									
HMFK-BMP50-1	Blower Box Cabinet - Complete with 4-speed, 1400 CFM Blower							79	\$844
HMFK-CMBCH-1	Stainless Steel Oil combustion Chamber and Heat Exchanger Module							74	\$2,656
HMFK-EF15	Electric Furnace Module (15kw)							49	\$1,369
HMFK-EF18	Electric Furnace Module (18kw)							49	\$1,369
HMFK-EF20	Electric Furnace Module (20kw)							51	\$1,369
HMFK-WMO	Kit, WMO Thermal Safety Switch							2	\$112
HMFK-BIEK	Bi-Energy Kit - Optional Quebec Use Only							7	\$185
HMFK-OFRF40	Oil Burner Module - Riello with Mounting Collar and Protective Cover							42	\$1,495
	Or								
HMFK-OFBNX	Oil Burner Module - Beckett							40	\$1,369

HYBRID SERIES

HMF200 SERIES HYBRID



Note: Contact your Napoleon Account Executive for availability prior to ordering.

FEATURES & BENEFITS

- 60,000 - 100,000 BTU's
- Hybrid Wood-Burning Cycle
- Multiple Configurations Available
- Wood Furnace
- Oil Furnace
- Gas Furnace
- Electric Furnace



PART ID	HEATING CAPACITY (BTU/H)	RETURN AIR (IN)	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING WIDTH (IN)	PLENUM OPENING LENGTH (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
HMF200	150,000	14 X 23	51 1/4	29 1/8	39	31	22	830	\$5,600
OPTIONS									
NNA-NC1625-A	Napoleon MERV 11 Media Filter - 16 x 25							15	\$120
W250-0009	MERV 11 Filter - 3 Pack (16 x 25)							20	\$133
ADD-ON AIR CONDITIONING CONTROLS									
HMFK-AC1	Bypass Damper Position Switch Kit							1	\$130
HMFK-AC2	HMFK-BMP50 Air Conditioning Blower Relay Kit (HMFK-AC2 to be used with any AC install using HMFK-BMP50)							.6	\$202
DOORS - MUST CHOOSE HMFK-GLASS OR HMFK-SOLID DOOR TO COMPLETE FURNACE									
HMFK-GLASS	Cast Iron Door with Ceramic Viewing Glass							29	\$329
HMFK-SOLID	Cast Iron Door with Ceramic Fibre Insulation and Cover							47	\$422
ADD-ON TO NAPOLEON GAS FURNACES - SELECT FROM NAPOLEON 9500/9600 SERIES - 80,000 OR 100,000 BTU UNITS									
HMFK-ADDON	Add-On Module (Relay to Inter-Connect Existing Furnace)							.4	\$75
HMFK-GT	Transition Box (To connect HMF150 to Gas Furnace)							59	\$411
HMFK-GT-LG	Transition Box (Connect HMF200 to Napoleon Gas Furnace 4-5 Ton Blower)							49	\$438
ADD-ON TO EXISTING GAS FURNACES									
HMFK-ADDON	Add-On Module (Relay to Inter-Connect Existing Furnace)							.4	\$75
WOOD ONLY CONFIGURATION									
HMFK-BMP50-1	Blower Box Cabinet - Complete with 4-speed, 1400 CFM Blower							79	\$844
WOOD/OIL CONFIGURATION									
HMFK-BMP50-1	Blower Box Cabinet - Complete with 4-speed, 1400 CFM Blower							79	\$844
HMFK-CCH200	Stainless Steel Oil Combustion Chamber and Heat Exchanger Module							86	\$2,733
HMFK-OFRF40	Oil Burner Module - Riello with Mounting Collar and Protective Cover							42	\$1,495
	Or								
HMFK-OFBNX	Oil Burner Module - Beckett							40	\$1,369
HMFK-WMO	Kit, WMO Thermal Safety Switch							2	\$112
WOOD/ELECTRIC CONFIGURATION									
HMFK-BMP50-1	Blower Box Cabinet - Complete with 4-speed, 1400 CFM Blower							79	\$844
HMFK-EF18	Electric Furnace Module (18kw)							49	\$1,369
HMFK-EF20	Electric Furnace Module (20kw)							51	\$1,369
HMFK-EF25	Electric Furnace Module (25 kw)							49	\$1,621
WOOD/OIL/ELECTRIC CONFIGURATION									
HMFK-BMP50-1	Blower Box Cabinet - Complete with 4-speed, 1400 CFM Blower							79	\$844
HMFK-CCH200	Stainless Steel Oil Combustion Chamber and Heat Exchanger Module							86	\$2,733
HMFK-EF18	Electric Furnace Module (18kw)							49	\$1,369
HMFK-EF20	Electric Furnace Module (20kw)							51	\$1,369
HMFK-EF25	Electric Furnace Module (25 kw)							49	\$1,621
HMFK-WMO	Kit, WMO Thermal Safety Switch							2	\$112
HMFK-BIEK	Bi-Energy Kit - Optional Quebec Use Only							7	\$185
HMFK-OFRF40	Oil Burner Module - Riello with Mounting Collar and Protective Cover							42	\$1,495
Or									
HMFK-OFBNX	Oil Burner Module - Beckett							40	\$1,369

COOLING

CENTRAL AIR CONDITIONERS

NT Series Air Conditioners



FEATURES & BENEFITS

- Environmentally friendly R-410A refrigerant
- High-Efficiency Compressor
- Micro-Channel Condenser
- Swept Fan Blades
- Permanently lubricated PSC motor
- Motor assembly is removable from top of unit
- Service valves and refrigerant connections are located outside the cabinet for easy accessibility and servicing
- Electrical connections are accessible through a removable service panel

10 YEAR PARTS LIMITED WARRANTY

10 YEAR COMPRESSOR LIMITED WARRANTY

Note: All Napoleon Air Conditioners Must Be Installed With Properly Matched System Components Listed On AHRI Directory.

NT 13 SEER AIR CONDITIONER SERIES

PART ID	TONNAGE	SEER RATING	MAX. FUSE/BREAKER (A)	COOLING CAPACITY (BTU/H)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
NT13A018C-1	1.5	13	15	18,000	3/8	3/4	27	24	24	150	\$1,583
NT13A024C-1	2	13	20	23,200	3/8	3/4	27	24	24	150	\$1,704
NT13A030C-1	2.5	13	25	28,600	3/8	3/4	27	24	24	150	\$1,979
NT13A036B-1	3	13	30	33,800	3/8	3/4	27	29 1/2	29 1/2	180	\$2,106
NT13A042B-1	3.5	13	35	37,800	3/8	7/8	27	29 1/2	29 1/2	180	\$2,574
NT13A048B-1	4	13	40	45,000	3/8	7/8	38 1/2	29 1/2	29 1/2	230	\$2,774
NT13A060B-1	5	13	50	53,500	3/8	7/8	38 1/2	29 1/2	29 1/2	230	\$3,228

NT 14 SEER AIR CONDITIONER SERIES

PART ID	TONNAGE	SEER RATING	MAX. FUSE/BREAKER (A)	COOLING CAPACITY (BTU/H)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
NT14A018B-1	1.5	14	20	18,800	3/8	3/4	27	24	24	150	\$1,938
NT14A024B-1	2	14	25	23,400	3/8	3/4	27	24	24	150	\$2,041
NT14A030B-1	2.5	14.5	25	28,600	3/8	3/4	27	29 1/2	29 1/2	180	\$2,330
NT14A036B-1	3	14	30	33,800	3/8	3/4	27	29 1/2	29 1/2	180	\$2,464
NT14A042B-1	3.5	14	35	38,000	3/8	7/8	38 7/8	29 1/2	29 1/2	230	\$2,903
NT14A048B-1	4	14	40	44,000	3/8	7/8	38 7/8	29 1/2	29 1/2	230	\$3,085
NT14A060B-1	5	14	50	53,500	3/8	7/8	47 7/8	29 1/2	29 1/2	250	\$3,569

NT 16* SEER AIR CONDITIONER SERIES

PART ID	TONNAGE	SEER RATING	MAX. FUSE/BREAKER (A)	COOLING CAPACITY (BTU/H)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
NT16A018B-1	1.5	15	20	19,100	3/8	3/4	27	29 1/2	29 1/2	180	\$2,167
NT16A024B-1	2	15	25	24,000	3/8	3/4	27	29 1/2	29 1/2	180	\$2,284
NT16A030B-1	2.5	15	25	29,400	3/8	3/4	27	29 1/2	29 1/2	180	\$2,579
NT16A036B-1	3	15	30	35,600	3/8	3/4	38 7/8	29 1/2	29 1/2	230	\$2,696
NT16A042B-1	3.5	15	35	41,500	3/8	7/8	38 7/8	29 1/2	29 1/2	230	\$3,149
NT16A048B-1	4	15	40	45,000	3/8	7/8	47 3/4	29 1/2	29 1/2	250	\$3,335
NT16A060B-1	5	14.5	50	56,500	3/8	7/8	47 3/4	29 1/2	29 1/2	250	\$3,885

*16 SEER is achieved based on matching with specific coils

OPTIONS/ACCESSORIES


PART ID	DESCRIPTION	MSRP
W370-0231	Hard Start Kit	\$85

IMPORTANT: PRODUCT MUST BE REGISTERED FOR FULL WARRANTY
Products may not be exactly as shown.

COILS

UNCASED COILS

Recommended for use with
NT 13/14 and 16 SEER air conditioners



NOTE


Napoleon's NT Series air conditioners are certified with coils that are manufactured by a trusted third party vendor. All listings can be found on the AHRI online directory at www.ahridirectory.org. Contact your Napoleon Account Executive to discuss questions regarding match-ups and ratings.

COIL	DESCRIPTION	DIMENSIONS	WEIGHT (LBS)	MSRP
HE21118A140A0004AP	Generic Service Coil - 1.5 Ton	14" W x 19 1/2" D x 13" H	20	\$493
HE21124A140A0004AP	Generic Service Coil - 2.0 Ton	14" W x 19 1/2" D x 13" H	20	\$493
HE31130A155A0000AP	Generic Service Coil - 2.5 Ton	15 1/2" W x 19 1/2" D x 13" H	24	\$622
HE32136A155A0000AP	Generic Service Coil - 3.0 Ton	15 1/2" W x 19 1/2" D x 15" H	28	\$691
HE34142A200A0004AP	Generic Service Coil - 3.5 Ton	20" W x 19 1/2" D x 19" H	35	\$903
HE35148A200A0004AP	Generic Service Coil - 4.0 Ton	20" W x 19 1/2" D x 21" H	39	\$960
HE36160A200A0004AP	Generic Service Coil - 5.0 Ton	20" W x 19 1/2" D x 23" H	41	\$1,118

COIL	13 SEER AC	AHRI#	SEER	EER	DIMENSIONS	WEIGHT (LBS)	MSRP
HE21924A140A0000AP		205782666	13	10.5	14" W x 19 1/2" D x 13" H	20	\$595
HE22118A140A0004AP	NT13A018C-1	205758326	13	11	14" W x 19 1/2" D x 15" H	20	\$493
HE32936A155A0000AP		205782649	13	11	15 1/2" W x 19 1/2" D x 15" H	28	\$800
HE21924A140A0000AP	NT13A024C-1	205782668	13	10.5	14" W x 19 1/2" D x 13" H	20	\$595
HE22124A140A0004AP		205758327	13	11	14" W x 19 1/2" D x 15" H	21	\$493
HE32936A155A0000AP		205782654	13	11	15 1/2" W x 19 1/2" D x 15" H	28	\$800
HE24930A155A0004AP	NT13A030C-1	205788611	13	10.7	15 1/2" W x 19 1/2" D x 19" H	27	\$622
HE32936A155A0000AP		205804286	13	11	15 1/2" W x 19 1/2" D x 15" H	28	\$800
HE32936A155A0000AP	NT13A036B-1	10296110	13	11	15 1/2" W x 19 1/2" D x 15" H	28	\$800
HE35948A200A0000AP	NT13A042B-1	10296111	13	11	20" W x 19 1/2" D x 21" H	39	\$1,035
HE35948A200A0000AP	NT13A048B-1	10296112	13	11	20" W x 19 1/2" D x 21" H	39	\$1,035
HE37960A200A0000AP	NT13A060B-1	202613409	13	11	20" W x 19 1/2" D x 25" H	45	\$1,251
HE50960A205A0000AP		203404702	13	11	20 1/2" W x 19 1/2" D x 27" H	50	\$1,506

UNCASED COILS

Recommended for use with
NT 13/14 and 16 SEER air conditioners



NOTE

Napoleon's NT Series air conditioners are certified with coils that are manufactured by a trusted third party vendor. All listings can be found on the AHRI online directory at www.ahrirectory.org. Contact your Napoleon Account Executive to discuss questions regarding match-ups and ratings.

COIL	14 SEER AC	AHRI#	SEER	EER	DIMENSIONS	WEIGHT (LBS)	MSRP
HE32936A155A0000AP	NT14A018B-1	203404699	14	12.2	15 1/2" W x 19 1/2" D x 15" H	28	\$800
HE32936A155A0000AP	NT14A024B-1	10513758	14	12	15 1/2" W x 19 1/2" D x 15" H	28	\$800
HE36936A155A0000AP		10513759	14.5	12.2	15 1/2" W x 19 1/2" D x 23" H	41	\$1,191
HE32936A155A0000AP	NT14A030B-1	10513761	15	12.2	15 1/2" W x 19 1/2" D x 15" H	28	\$800
HE32936A155A0000AP	NT14A036B-1	10513762	14	12	15 1/2" W x 19 1/2" D x 15" H	28	\$800
HE35948A200A0000AP		10513747	14	11.7	20" W x 19 1/2" D x 21" H	39	\$1,035
HE37960A200A0000AP	NT14A042-1B	202613407	14	12	20" W x 19 1/2" D x 25" H	45	\$1,251
HE50960A205A0000AP		10513749	14.5	12	20 1/2" W x 19 1/2" D x 27" H	50	\$1,506
HE37960A200A0000AP	NT14A048B-1	10513750	14	11.5	20" W x 19 1/2" D x 25" H	45	\$1,251
HE37960A200A0000AP	NT14A060B-1	10513753	14	11.5	20" W x 19 1/2" D x 25" H	45	\$1,251
COIL	16 SEER AC	AHRI#	SEER	EER	DIMENSIONS	WEIGHT (LBS)	MSRP
HE32936A155A0000AP	NT16A018B-1	10581071	15	12.5	15 1/2" W x 19 1/2" D x 15" H	28	\$800
HE32936A155A0000AP	NT16A024B-1	10581074	15	12.5	15 1/2" W x 19 1/2" D x 15" H	28	\$800
HE36936A155A0000AP	NT16A030B-1	10581076	14.5	12.5	15 1/2" W x 19 1/2" D x 23" H	41	\$1,191
HE36936A155A0000AP	NT16A036B-1	10581078	14.5	12.5	15 1/2" W x 19 1/2" D x 23" H	41	\$1,191
HE37960A200A0000AP	NT16A042B-1	202613408	14.5	12.2	20" W x 19 1/2" D x 25" H	45	\$1,251
HE50960A205A0000AP		10581069	15	12.5	20 1/2" W x 19 1/2" D x 27" H	50	\$1,506
HE50960A205A0000AP	NT16A048B-1	10581064	15	12.5	20 1/2" W x 19 1/2" D x 27" H	50	\$1,506
HE50960A205A0000AP	NT16A060B-1	10581066	14.5	12	20 1/2" W x 19 1/2" D x 27" H	50	\$1,506

COILS

CASED COILS

Recommended for use with
NT 13/14 and 16 SEER air conditioners



NOTE

Napoleon's NT Series air conditioners are certified with coils that are manufactured by a trusted third party vendor. All listings can be found on the AHRI online directory at www.ahridirectory.org. Contact your Napoleon Account Executive to discuss questions regarding match-ups and ratings.

COIL	13 SEER AC	AHRI#	SEER	EER	DIMENSIONS	WEIGHT (LBS)	MSRP
DE21930C145B1605AP	NT13A018C-1	205782821	13	10.5	14 ½" W x 20 ½" D x 16 ½" H	30	\$550
DE21930C145B1622AP		205782821	13	10.5	14 ½" W x 20 ½" D x 16 ½" H	35	\$684
DE21930C175B1605AP		205782821	13	10.5	17 ½" W x 20 ½" D x 16 ½" H	30	\$550
DE21930C175B1622AP		205782821	13	10.5	17 ½" W x 20 ½" D x 16 ½" H	35	\$684
DE22118C145B1605AP		205758326	13	11	14 ½" W x 20 ½" D x 16 ½" H	33	\$606
DE22118C145B1622AP		205758326	13	11	14 ½" W x 20 ½" D x 16 ½" H	38	\$729
DE22118C175B1605AP		205758326	13	11	17 ½" W x 20 ½" D x 16 ½" H	33	\$606
DE22118C175B1622AP		205758326	13	11	17 ½" W x 20 ½" D x 16 ½" H	38	\$729
DE31930C175B1605AP		205782647	13	11	17 ½" W x 20 ½" D x 16 ½" H	38	\$919
DE31930C175B1622AP		205782647	13	11	17 ½" W x 20 ½" D x 16 ½" H	38	\$890
DE32936C175B1605AP		205782649	13	11	17 ½" W x 20 ½" D x 16 ½" H	46	\$884
DE32936C175B1622AP		205782649	13	11	17 ½" W x 20 ½" D x 16 ½" H	46	\$971
DE21930C145B1605AP	NT13A024C-1	205782822	13	10.5	14 ½" W x 20 ½" D x 16 ½" H	30	\$550
DE21930C145B1622AP		205782822	13	10.5	14 ½" W x 20 ½" D x 16 ½" H	35	\$684
DE21930C175B1605AP		205782822	13	10.5	17 ½" W x 20 ½" D x 16 ½" H	30	\$550
DE21930C175B1622AP		205782822	13	10.5	17 ½" W x 20 ½" D x 16 ½" H	35	\$684
DE22124C145B1605AP		205758327	13	11	14 ½" W x 20 ½" D x 16 ½" H	33	\$606
DE22124C145B1622AP		205758327	13	11	14 ½" W x 20 ½" D x 16 ½" H	38	\$729
DE22124C175B1605AP		205758327	13	11	17 ½" W x 20 ½" D x 16 ½" H	33	\$606
DE22124C175B1622AP		205758327	13	11	17 ½" W x 20 ½" D x 16 ½" H	38	\$729
DE24936C175B2005AP	NT13A030C-1	205804282	13	10.5	17 ½" W x 20 ½" D x 20 ½" H	40	\$795
DE24936C175B2022AP		205804282	13	10.5	17 ½" W x 20 ½" D x 20 ½" H	47	\$902
DE31930C175B1605AP		205804284	13	10.5	17 ½" W x 20 ½" D x 16 ½" H	38	\$919
DE31930C175B1622AP		205804284	13	10.5	17 ½" W x 20 ½" D x 16 ½" H	38	\$890
DE32936C175B1605AP		205804286	13	11	17 ½" W x 20 ½" D x 16 ½" H	46	\$884
DE32936C175B1622AP		205804286	13	11	17 ½" W x 20 ½" D x 16 ½" H	46	\$971
DE32936C175B1605AP	NT13A036B-1	10296110	13	11	17 ½" W x 20 ½" D x 16 ½" H	46	\$884
DE32936C175B1622AP		10296110	13	11	17 ½" W x 20 ½" D x 16 ½" H	46	\$971
DE35948C225B2505AP	NT13A042B-1	10296111	13	11	22 ½" W x 20 ½" D x 25 ½" H	60	\$1,110
DE35948C225B2522AP		10296111	13	11	22 ½" W x 20 ½" D x 25 ½" H	60	\$1,187
DE35948C225B2505AP	NT13A048B-1	10296112	13	11	22 ½" W x 20 ½" D x 25 ½" H	60	\$1,110
DE35948C225B2522AP		10296112	13	11	22 ½" W x 20 ½" D x 25 ½" H	60	\$1,187
DE48960C225B2705AP	NT13A060B-1	205754828	13	11	22 ½" W x 20 ½" D x 27 ½" H	66	\$1,447
DE50960C225B2722AP		203404702	13	11	22 ½" W x 20 ½" D x 27 ½" H	72	\$1,762

*Coils with suffix 22AP are multi-positional. Coils with suffix 05AP are upflow/downflow only.



CASED COILS

Recommended for use with
NT 13/14 and 16 SEER air conditioners

COIL	14 SEER AC	AHRI#	SEER	EER	DIMENSIONS	WEIGHT (LBS)	MSRP
*Factory Installed TXV							
DE31930C175B1605AP	NT14A018B-1	10513756	14	12	17 ½" W x 20 ½" D x 16 ½" H	38	\$919
DE31930C175B1622AP		10513756	14	12	17 ½" W x 20 ½" D x 16 ½" H	38	\$890
DE32936C175B1605AP		203404699	14	12.2	17 ½" W x 20 ½" D x 16 ½" H	46	\$884
DE32936C175B1622AP		203404699	14	12.2	17 ½" W x 20 ½" D x 16 ½" H	46	\$971
DE35936C175B2505AP		10513757	14.5	12.2	17 ½" W x 20 ½" D x 25 ½" H	60	\$1,003
DE35936C175B2522AP		10513757	14.5	12.2	17 ½" W x 20 ½" D x 25 ½" H	60	\$1,262
DE32936C175B1605AP	NT14A024B-1	10513758	14	12	17 ½" W x 20 ½" D x 16 ½" H	46	\$884
DE32936C175B1622AP		10513758	14	12	17 ½" W x 20 ½" D x 16 ½" H	46	\$971
DE36936C175B2505AP		10513759	14.5	12.2	17 ½" W x 20 ½" D x 25 ½" H	57	\$1,193
DE31930C175B1605AP	NT14A030B-1	10513760	15	12.5	17 ½" W x 20 ½" D x 16 ½" H	38	\$919
DE31930C175B1622AP		10513760	15	12.5	17 ½" W x 20 ½" D x 16 ½" H	38	\$890
DE32936C175B1605AP		10513761	15	12.5	17 ½" W x 20 ½" D x 16 ½" H	46	\$884
DE32936C175B1622AP		10513761	15	12.5	17 ½" W x 20 ½" D x 16 ½" H	46	\$971
DE32936C175B1605AP	NT14A036B-1	10513762	14	12	17 ½" W x 20 ½" D x 16 ½" H	46	\$884
DE32936C175B1622AP		10513762	14	12	17 ½" W x 20 ½" D x 16 ½" H	46	\$971
DE37936C175B2505AP		10513763	14.5	12.2	17 ½" W x 20 ½" D x 25 ½" H	61	\$1,243
DE35948C225B2505AP	NT14A042B-1	10513747	14	11.7	22 ½" W x 20 ½" D x 25 ½" H	60	\$1,110
DE35948C225B2522AP		10513747	14	11.7	22 ½" W x 20 ½" D x 25 ½" H	60	\$1,187
DE48960C225B2705AP		10513748	14.5	12	22 ½" W x 20 ½" D x 27 ½" H	66	\$1,447
DE50960C225B2722AP		10513749	14.5	12	22 ½" W x 20 ½" D x 27 ½" H	72	\$1,762
DE48960C225B2705AP	NT14A048B-1	10513751	14	11.7	22 ½" W x 20 ½" D x 27 ½" H	66	\$1,447
DE52960C225B3105AP		10513752	14.5	12	22 ½" W x 20 ½" D x 31 ½" H	72	\$1,551
DE48960C225B2705AP	NT14A060B-1	10513754	14	11.7	22 ½" W x 20 ½" D x 27 ½" H	66	\$1,447
DE52960C225B3105AP		10513755	14.5	12	22 ½" W x 20 ½" D x 31 ½" H	72	\$1,551
COIL	16 SEER AC	AHRI#	SEER	EER	DIMENSIONS	WEIGHT (LBS)	MSRP
DE31930C175B1605AP	NT16A018B-1	10581070	15	12.5	17 ½" W x 20 ½" D x 16 ½" H	38	\$919
DE31930C175B1622AP		10581070	15	12.5	17 ½" W x 20 ½" D x 16 ½" H	38	\$890
DE32936C175B1605AP		10581071	15	12.5	17 ½" W x 20 ½" D x 16 ½" H	46	\$884
DE32936C175B1622AP		10581071	15	12.5	17 ½" W x 20 ½" D x 16 ½" H	46	\$971
DE31930C175B1605AP	NT16A024B-1	10581073	15	12.2	17 ½" W x 20 ½" D x 16 ½" H	38	\$919
DE31930C175B1622AP		10581073	15	12.2	17 ½" W x 20 ½" D x 16 ½" H	38	\$890
DE32936C175B1605AP		10581074	15	12.5	17 ½" W x 20 ½" D x 16 ½" H	46	\$884
DE32936C175B1622AP		10581074	15	12.5	17 ½" W x 20 ½" D x 16 ½" H	46	\$971
DE36936C175B2505AP	NT16A030B-1	10581076	14.5	12.2	17 ½" W x 20 ½" D x 25 ½" H	57	\$1,193
DE47936C175B2905AP		10581077	15	12.5	17 ½" W x 20 ½" D x 29 ½" H	72	\$1,354
DE36936C175B2505AP	NT16A036B-1	10581078	14.5	12.2	17 ½" W x 20 ½" D x 25 ½" H	57	\$1,193
DE47936C175B2905AP		10581079	15	12.5	17 ½" W x 20 ½" D x 29 ½" H	72	\$1,354
DE48960C225B2705AP	NT16A042B-1	10581068	15	12.5	22 ½" W x 20 ½" D x 27 ½" H	66	\$1,447
DE48960C225B2705AP	NT16A048B-1	10581063	14.5	12.2	22 ½" W x 20 ½" D x 27 ½" H	66	\$1,447
DE50960C225B2722AP		10581064	15	12.5	22 ½" W x 20 ½" D x 27 ½" H	72	\$1,762
DE48960C225B2705AP	NT16A060B-1	10581065	14	11.7	22 ½" W x 20 ½" D x 27 ½" H	66	\$1,447
DE50960C225B2722AP		10581066	14.5	12	22 ½" W x 20 ½" D x 27 ½" H	72	\$1,762

*Coils with suffix 22AP are multi-positional. Coils with suffix 05AP are upflow/downflow only.

IMPORTANT: PRODUCT MUST BE REGISTERED FOR FULL WARRANTY
Products may not be exactly as shown.





PART ID	COMPATIBLE AIR CONDITIONERS	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
NCR-2427	NT13A018C-1 NT13A024C-1 NT14A018B-1 NT14A024B-1	24	27	1.6	\$63



NCR-2927	NT13A030C-1 NT13A036B-1 NT14A030B-1 NT14A036B-1 NT16A018B-1 NT16A024B-1 NT16A030B-1 NT16A036B-1	29	27	2.1	\$73
----------	--	----	----	-----	------



NCR-2939	NT13A042B-1 NT13A048B-1 NT14A042B-1 NT14A048B-1 NT16A042B-1 NT16A048B-1	29	39	2.7	\$78
----------	--	----	----	-----	------



NCR-2948	NT13A060B-1 NT14A060B-1 NT16A060B-1	29	48	3.3	\$82
----------	---	----	----	-----	------

HEAT PUMPS

CENTRAL HEAT PUMPS AND AIR HANDLERS

NT Series Central Heat Pumps & Air Handlers



FEATURES & BENEFITS


- 15 SEER / 8.5 HSPF
- High Efficiency Compressors
- Fin and Tube Condenser
- Swept Fan Blades
- Permanently lubricated PSC motor
- Motor assembly is removable from top of unit
- Service valves and refrigerant connections are located outside the cabinet for easy accessibility and servicing
- Electrical connections are accessible through a removable service panel

10 YEAR PARTS LIMITED WARRANTY

10 YEAR COMPRESSOR LIMITED WARRANTY

15 SEER HEAT PUMP													
PART ID	TON	SEER RATING	HSPF RATING	MAX. FUSE/BREAKER (A)	COOLING CAPACITY (BTU/H)	HEATING CAPACITY (BTU/H)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
NT15H024A-1	2	15	8.5	25	23,200	20,600	3/8	3/4	27	24	24	160	\$3,426
NT15H030A-1	2.5	15	9	25	28,000	26,800	3/8	3/4	27	29 1/2	29 1/2	200	\$4,240
NT15H036A-1	3	15	9	30	32,000	32,000	3/8	3/4	38 7/8	29 1/2	29 1/2	230	\$4,487
NT15H042A-1	3.5	15	9	35	37,400	38,000	3/8	7/8	47 7/8	29 1/2	29 1/2	280	\$5,385
NT15H048A-1	4	15	9	35	43,000	41,500	3/8	7/8	47 7/8	29 1/2	29 1/2	280	\$6,171

Note: All Napoleon Heat Pumps Must Be Installed With Properly Matched System Components Listed On AHRI Directory. Please check inventory before placing order.



NAPOLEON AIR HANDLER								
PART ID	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
WVME24AA-N	19.6 X 14.8	41	18	18	16	10 5/16	159	\$1,651
WVME36BA-N	20.8 X 16.3	41 1/4	18	20 1/2	18	10 5/16	101	\$1,830
WVME48CA-N	23 X 18.8	41	18	18	19 1/2	10 5/16	101	\$2,230

FEATURES & BENEFITS

- Multi-speed Constant Torque (CT) ECM blower motor
- FlexFit installation options: horizontal left and right, vertical and downflow
- All Aluminum A-Coil
- Field-installed electric heater kits available as an accessory
- Dual front panel design allows blower and coil to slide out for ease of maintenance
- Fully-insulated cabinet
- Integrated filter rack with tool-less door access. AHRI and ETL listed

Note: All Units achieve up to 16 SEER - verification with AHRI listings is recommended to confirm which outdoor units 16 SEER is achieved with.

10 YEAR PARTS LIMITED WARRANTY

ADD ON ELECTRIC HEATER						
PART ID	KW ELECTRIC HEAT	MODEL 24 1.5 TON	MODEL 2-2.5 TON	MODEL 36	MODEL 48	MSRP
WHK-05A	5	Y	Y	Y	Y	\$200
WHK-08A	7.5	Y	Y	Y	Y	\$267
WHK-10A	10	N	Y	Y	Y	\$282
WHK-15B	15	N	N	Y	Y	\$475
WHK-20B	20	N	N	Y	Y	\$547

HEAT PUMP - AIR HANDLER MATCHUP CHART (NOTE: HSPF RATED TO REGION IV)			
HEAT PUMP	AIR HANDLER	SEER	HSPF
NT15H024A-1	WVME24AA-N	14	8.2
NT15H030A-1	WVME36BA-N	14	8.2
NT15H036A-1	WVME36BA-N	14	8.2
NT15H042A-1	WVME48CA-N	14	8.2
NT15H048A-1	WVME48CA-N	14	8.2

DUCTLESS

INVERTER DUCTLESS SPLIT



FEATURES & BENEFITS

- Sleep Mode
- Auto Restart
- Louver Position Memory Function

1 YEAR PARTS LIMITED WARRANTY

5 YEAR COMPRESSOR LIMITED WARRANTY

NC19 SERIES								
PART ID	DESCRIPTION	SEER RATING	COOLING CAPACITY (BTU/H)	MAX. FUSE/BREAKER (A)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT NET WEIGHT LBS	MSRP
NC19-12F-B	NC19 Ductless Air Conditioner - NC19-12F-B, Shipped in 2 PCS. NC19-12F-I-B, NC19-12F-O-B	19	12,000	20	1/4	1/2	92	\$1,299
NC19-18F-B	NC19 Ductless Air Conditioner - NC19-18F-B, Shipped in 2 PCS. NC19-18F-I-B, NC19-18F-O-B	19	17,000	20	1/4	1/2	103	\$1,867
NC19-24F-B	NC19 Ductless Air Conditioner - NC19-24F-B, Shipped in 2 PCS. NC19-24F-I-B, NC19-24F-O-B	19	22,000	25	3/8	5/8	135	\$2,517



FEATURES & BENEFITS

- Sleep Mode
- Auto Restart
- Louver Position Memory Function
- Functions in temperatures as low as -15°C / 5°F

6 YEAR PARTS LIMITED WARRANTY

6 YEAR COMPRESSOR LIMITED WARRANTY

NHAS SERIES											
PART ID	DESCRIPTION	SEER RATING	ZONE 4	ZONE 5	COOLING CAPACITY (BTU/H)	HEATING CAPACITY (BTU/H)	MAX. FUSE/BREAKER (A)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT NET WEIGHT LBS	MSRP
NHAS-12	NHAS Series Ductless Heat Pump - NHAS-12, Shipped in 2 PCS. NHAS-12-I, NHAS-12-O	20	9.5	8	12,000	12,000	20	1/4	1/2	105	\$1,570
NHAS-18	NHAS Series Ductless Heat Pump - NHAS-18, Shipped in 2 PCS. NHAS-18-I, NHAS-18-O	20	10	8	18,000	18,000	20	1/4	1/2	118	\$2,148
NHAS-24	NHAS Series Ductless Heat Pump - NHAS-24, Shipped in 2 PCS. NHAS-24-I, NHAS-24-O	20	9.5	8	24,000	24,000	25	3/8	5/8	152	\$2,719



FEATURES & BENEFITS

- Sleep Mode
- Auto Restart
- Energy Star Rated
- Auto Defrosting
- Louver Position Memory Function
- Hyper Heat - Functions in temperatures as low as -25°C / 13°F

6 YEAR PARTS LIMITED WARRANTY

6 YEAR COMPRESSOR LIMITED WARRANTY



NH21 SERIES											
PART ID	DESCRIPTION	SEER RATING	ZONE 4	ZONE 5	COOLING CAPACITY (BTU/H)	HEATING CAPACITY (BTU/H)	MAX. FUSE/BREAKER (A)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT NET WEIGHT LBS	MSRP
NH21-12F	NH21 Ductless Heat Pump - NH21-12F, Shipped in 2 PCS. NH21-12F-I, NH21-12F-O	21	9.8	7.7	12,000	12,000	15	1/4	1/2	110	\$1,976
NH21-18F	NH21 Ductless Heat Pump - NH21-18F, Shipped in 2 PCS. NH21-18F-I, NH21-18F-O	21	10	8	18,000	18,000	20	1/4	1/2	145	\$2,618
NH21-24F	NH21 Ductless Heat Pump - NH21-24F, Shipped in 2 PCS. NH21-24F-I, NH21-24F-O	21	10	8.3	25,000	24,000	25	3/8	5/8	184	\$3,171

DUCTLESS

INVERTER DUCTLESS SPLIT



FEATURES & BENEFITS

- Sleep Mode
- Auto Restart
- Energy Star Rated
- Auto Defrosting
- Louver Position Memory Function
- Hyper Heat - Functions in temperatures as low as -30°C / -22°F

6 YEAR PARTS LIMITED WARRANTY

6 YEAR COMPRESSOR LIMITED WARRANTY



NH25 SERIES											
PART ID	DESCRIPTION	SEER RATING	ZONE 4	ZONE 5	COOLING CAPACITY (BTU/H)	HEATING CAPACITY (BTU/H)	MAX. FUSE/BREAKER (A)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT NET WEIGHT LBS	MSRP
NH25-09F	NH25 Ductless Heat Pump - NH25-09F, Shipped in 2 PCS. NH25-09F-I, NH25-09F-O	25	11.2	9	9,000	10,900	15	1/4	3/8	119	\$2,301
NH25-12F	NH25 Ductless Heat Pump - NH25-12F, Shipped in 2 PCS. NH25-12F-I, NH25-12F-O	25	12	9.9	12,000	11,800	15	1/4	1/2	121	\$2,423
NH25-18F	NH25 Ductless Heat Pump - NH25-18F, Shipped in 2 PCS. NH25-18F-I, NH25-18F-O	25	10.3	8.8	18,000	17,000	25	1/4	1/2	150	\$3,005
NH25-24F	NH25 Ductless Heat Pump - NH25-24F, Shipped in 2 PCS. NH25-24F-I, NH25-24F-O	25	11.5	9.6	24,000	24,000	30	3/8	5/8	199	\$3,862
NH25-30F	NH25 Ductless Heat Pump - NH25-30F, Shipped in 2 PCS. NH25-30F-I, NH25-30F-O	25	9.4	8	30,000	30,000	30	3/8	5/8	200	\$4,032
NH25-36F	NH25 Ductless Heat Pump - NH25-36F, Shipped in 2 PCS. NH25-36F-I, NH25-36F-O	25	8.5	7	36,000	36,000	35	3/8	5/8	209	\$4,414



FEATURES & BENEFITS

- Auto Defrosting
- Auto Restart
- Multi-Zone
- Up to 4 Indoor units including Cassettes
- Functions in temperatures as low as -25°C / -13°F (varies on indoor and outdoor configuration)

6 YEAR PARTS LIMITED WARRANTY

6 YEAR COMPRESSOR LIMITED WARRANTY

MULTI ZONE SERIES											
PART ID	DESCRIPTION	SEER RATING	ZONE 4	ZONE 5	COOLING CAPACITY (BTU/H)	HEATING CAPACITY (BTU/H)	MAX. FUSE/BREAKER (A)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT NET WEIGHT LBS	MSRP
NMZO-27F-B	Napoleon Outdoor Heat Pump, 27,000 BTU - NMZO-27F-B*, Shipped in 2 PCS. NHAS-24-I, NHAS-24-O	22	9.8	8	27,000	28,000	35	1/4	3/8	132	\$3,380
NMZO-36F-B	Napoleon Outdoor Heat Pump, 36,000 BTU - NMZO-36F-B**	16.5	9	7.9	36,000	39,000	40	1/4	3/8	189	\$4,485
NH21-09F-I	Ductless Heat Pump-Indoor	21	n/a	n/a	n/a	n/a	15	3/8	3/8	22	\$608
NH21-12F-I	Ductless Heat Pump-Indoor	21	9.8	7.7	n/a	n/a	15	1/2	1/2	22	\$653
NH21-18F-I	Ductless Heat Pump-Indoor	21	10	8	n/a	n/a	20	1/2	1/2	37	\$854
NH25-09F-I	Ductless Heat Pump-Indoor	25	11.2	9	n/a	n/a	15	3/8	3/8	25.5	\$663
NH25-12F-I	Ductless Heat Pump-Indoor	25	12	9.9	n/a	n/a	15	1/2	1/2	26.75	\$707
NH25-18F-I	Ductless Heat Pump-Indoor	25	10.3	8.8	n/a	n/a	25	1/2	1/2	35	\$909

* NMZO-27F-B used with up to 3 indoor heads

** NMZO-36F-B used with up to 4 indoor heads

*** Please refer to the product installation instructions for full detail on product selection

IMPORTANT: PRODUCT MUST BE REGISTERED FOR FULL WARRANTY
Products may not be exactly as shown.

CASSETTES AND THERMOSTATS



CASSETTES								
PART ID	DESCRIPTION	COOLING CAPACITY (BTU/H)	HEATING CAPACITY (BTU/H)	MAX. FUSE/BREAKER (A)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT NET WEIGHT LBS	MSRP
NCASSETTE12	Ductless Cassette - 12,000 BTUs	12000	12000	15	1/4	1/2	35	\$724
NCASSETTE18	Ductless Cassette - 18,000 BTUs	18000	18000	15	1/4	1/2	40	\$857



THERMOSTATS			
PART ID	DESCRIPTION	PRODUCT NET WEIGHT LBS	MSRP
NT953H2CP	3H/2C 7-day Programmable Thermostat - 12 sq.in. Touchscreen	1	\$286



NT86HCEZ	1H/1C EZ Set Non Programmable Thermostat	1	\$84
----------	--	---	------



NT144HCNPH	1H/1C Non Programmable Thermostat - Horizontal	1	\$58
------------	--	---	------



NT151HCPV	1H/1C 5/2-day Programmable Thermostat - Vertical	1	\$77
-----------	--	---	------



NT144HCNPV	1H/1C Non Programmable Thermostat - Vertical	1	\$60
------------	--	---	------

HEAT RECOVERY VENTILATOR

PART ID	DESCRIPTION	CFM	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
NHRV65S	Heat Recovery Ventilator 65 Side Ports	130	25 1/2	16 8/9	30 1/4	45	\$1,082



FEATURES & BENEFITS

- Up to 130 CFM at 0.2 in.w.c.
- Sensible Recovery Efficiency up to 65% at 0°C
- 5 inch port
- Recirculation mode
- Side ports – reversible installation options
- Reversible compact unit with integrated hook for greater installation flexibility
- Integrated snap-in drain system installs in seconds with no additional parts required
- Energy efficient
- Easy to balance with integrated dampers and pressure tap

ENERGY RECOVERY VENTILATOR

PART ID	DESCRIPTION	CFM	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
NERV65S	Energy Recovery Ventilator 65 Side Ports	130	25 1/2	16 8/9	30 1/4	45	\$1,303



FEATURES & BENEFITS

- Up to 130 CFM at 0.2 in.w.c.
- Sensible Recovery Efficiency up to 65% at 0°C
- 5 inch port
- Recirculation mode
- Side ports – reversible installation options
- Reversible compact unit with integrated hook for greater installation flexibility
- No drain or additional parts required
- Energy efficient
- Easy to balance with integrated dampers and pressure tap

ENERGY RECOVERY VENTILATOR

PART ID	DESCRIPTION	CFM	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
NERV2400T	Energy Recovery Ventilator 2400 Top Ports	210	31	32 1/5	18 2/3	110	\$3,528



FEATURES & BENEFITS

- Up to 210 CFM at 0.4 in. w.c.
- High efficiency energy recovery core with a sensible recovery efficiency of 84% at 0°C and 65% at -25°C
- Industry leading ECM motor
- Minimal power consumption of 22W and CFM/Watt of 2.9 at 64 CFM
- MERV 6 grade filters
- Electronic balancing, no balancing dampers



TIMER

PART ID	DESCRIPTION	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
NHRVTIMER	HRV Timer Control	4 1/2	3	3/4	1	\$31



CONTROLS

PART ID	DESCRIPTION	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
NHRVDC	HRV Deco Control	5	3 1/2	1 1/2	1	\$99
NERVXTC	ERV X-Touch Control	5	3 1/2	1 1/2	1	\$152



Full Kit



Twin Kit



Furnace Kit

FEATURES & BENEFITS

- Chemical-Free Sanitization
- Philips technology included
- Sanitizes molds, germs, bacteria and viruses – Coronaviruses included
- Same technology used in hospitals
- Available in two sanitization strength levels

1 YEAR PARTS
LIMITED WARRANTY

90 DAYS UV LAMPS
LIMITED WARRANTY

MEDICAL GRADE AIR TREATMENT

MEDICAL GRADE UNITS CONTAIN 60 WATT ULTRA VIOLET LAMP THAT PRODUCES 17 WATTS OF UV-C LIGHT

PART ID	DESCRIPTION	WATTAGE	PRODUCT NET WEIGHT LBS	MSRP
UVHFS120WB	UV-C Technology - Medical Grade Full Kit	120	10	\$798
UVHMS120WB	UV-C Technology - Medical Grade Twin Kit	120	9	\$613

STANDARD GRADE AIR TREATMENT

STANDARD GRADE UNITS CONTAIN 18 WATT ULTRA VIOLET LAMP THAT PRODUCES 5 WATTS OF UV-C LIGHT

UVLFS036WB	UV-C Technology - Standard Grade Full Kit	36	10	\$490
UVLMS036WB	UV-C Technology - Standard Grade Twin Kit	36	9	\$404
W010-2785	UV-C Technology - Standard Grade Furnace Kit	18	1	\$245

REPLACEMENT ULTRA VIOLET LAMPS

UVB18	18 Watt UV-C Replacement Lamp	18	1	\$65
UVB60	60 Watt UV-C Replacement Lamp	60	1	\$170



FEATURES & BENEFITS

- Up to 96.8% AFUE / Thermal Efficiency
- Modular Design - 1 & 1.5 Ton units only
- Architectural Grilles Available - 15 color options available
- Three piece design allows individual component handling for easy installation and serviceability
- All indoor access to parts and maintenance activities
- Innovative, dual slide out chassis for either heating or cooling components for service
- Both sections can be independently fully or partially removed for servicing - 1 & 1.5 Ton units only
- With spare modules, building management can do quick swap outs to maintain climate in the apartment/condo while troubleshooting non functioning units off line
- Designed for direct replacement of the individual modules at the end of their service life instead of the complete appliance
- All control harnesses are separated with modular quick disconnects, so module swap outs do not require time consuming rewiring



Wall Sleeve

PART ID	DESCRIPTION	WEIGHT (LBS)	UNIT DIMENSIONS H X W X D (IN)
CWSMUA-TP	Condo Pack 12" Wall Sleeve - Taupe	45	46 7/9 x 32 3/4 x 12
CWSMUA19-TP	Condo Pack 19" Wall Sleeve - Taupe	61	46 7/9 x 32 3/4 x 19



Architectural Grilles

PART ID	DESCRIPTION	WEIGHT (LBS)	UNIT DIMENSIONS H X W X D (IN)
CAGMHA-ML	Architectural Grilles for High Efficiency Gas - Mill Finish, Unpainted	22.5	44 7/8 x 28 7/8 x 1 13/50
CAGMHA-TP	Architectural Grilles for High Efficiency Gas - Painted Standard Taupe	22.5	44 7/8 x 28 7/8 x 1 13/50
CAGMHA-XX	Architectural Grilles for High Efficiency Gas - Painted Custom Color	22.5	44 7/8 x 28 7/8 x 1 13/50

IMPORTANT: For 2 ton units, add 39 to the end of the grille model number, example: CAGMHA39-TP

CONDO PACK

11 EER HIGH-EFFICIENCY GAS

15,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-C15A-A12A-A	96.8%	15,000	12,000	24 1/8 X 8 1/4	43 1/8	28	32	8	16	328	\$7,309
P-C15A-A18A-A	96.8%	15,000	17,000	24 1/8 X 8 1/4	43 1/8	28	32	8	16	344	\$7,376
P-C15A-A24A-A	96.8%	15,000	24,000	24 1/8 X 8 1/4	43 1/8	28	39	8	16	401	\$7,443

30,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-C30A-A12A-A	93.0%	30,000	12,000	24 1/8 X 8 1/4	43 1/8	28	32	8	16	328	\$7,309
P-C30A-A18A-A	93.0%	30,000	17,000	24 1/8 X 8 1/4	43 1/8	28	32	8	16	344	\$7,376
P-C30A-A24A-A	93.0%	30,000	24,000	24 1/8 X 8 1/4	43 1/8	28	39	8	16	387	\$7,443

40,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-C40A-A12A-A	91.7%	40,000	12,000	24 1/8 X 8 1/4	43 1/8	28	32	8	16	328	\$7,509
P-C40A-A18A-A	91.7%	40,000	17,000	24 1/8 X 8 1/4	43 1/8	28	32	8	16	344	\$7,578
P-C40A-A24A-A	91.7%	40,000	24,000	24 1/8 X 8 1/4	43 1/8	28	39	8	16	401	\$7,645

50,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-C50A-A12A-A	90.6%	50,000	12,000	24 1/8 X 8 1/4	43 1/8	28	32	8	16	328	\$7,712
P-C50A-A18A-A	90.6%	50,000	17,000	24 1/8 X 8 1/4	43 1/8	28	32	8	16	346	\$7,778
P-C50A-A24A-A	90.6%	50,000	24,000	24 1/8 X 8 1/4	43 1/8	28	39	8	16	387	\$7,846

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
CWSMUA-TP	Condo Pack 12" Wall Sleeve - Taupe	\$341
CWSMUA19-TP	Condo Pack 19" Wall Sleeve - Taupe	\$391
CAGMHA-ML	Architectural Grilles for High Efficiency Gas - Mill Finish, Unpainted	\$404
CAGMHA-TP	Architectural Grilles for High Efficiency Gas - Painted Standard Taupe	\$564
CAGMHA-XX	Architectural Grilles for High Efficiency Gas - Painted Custom Color	Request Quote

IMPORTANT: For 2 ton units, add 39 to the end of the grille model number, example: CAGMHA39-TP



FEATURES & BENEFITS

- Modular Design
- Both sections can be independently fully or partially removed for servicing - 1 & 1.5 Ton units
- Architectural Grilles Available - 15 color options available
- Three piece design allows individual component handling for easy installation and serviceability
- All indoor access to parts and maintenance activities
- Innovative, dual slide out chassis for either heating or cooling components for service - 1 & 1.5 Ton units only
- With spare modules, building management can do quick swap outs to maintain climate in the apartment/condo while troubleshooting non functioning units off line
- Designed for direct replacement of the individual modules at the end of their service life instead of the complete appliance
- All control harnesses are separated with modular quick disconnects, so module swap outs do not require time consuming rewiring



Wall Sleeve

PART ID	DESCRIPTION	WEIGHT (LBS)	UNIT DIMENSIONS H X W X D (IN)
CWSMUA-TP	Condo Pack 12" Wall Sleeve - Taupe	45	46 7/9 x 32 3/4 x 12
CWSMUA19-TP	Condo Pack 19" Wall Sleeve - Taupe	61	46 7/9 x 32 3/4 x 19



Architectural Grilles

PART ID	DESCRIPTION	WEIGHT (LBS)	UNIT DIMENSIONS H X W X D (IN)
CAGMMA-ML	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	22.5	45 1/8 x 29 x 1 17/25
CAGMMA-TP	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Painted Standard Taupe	22.5	45 1/8 x 29 x 1 17/25
CAGMMA-XX	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Painted Custom Color	22.5	45 1/8 x 29 x 1 17/25

IMPORTANT: For 2 ton units, add 39 to the end of the grille model number, example: CAGMMA39-TP

CONDO PACK

11 EER HIGH-EFFICIENCY ELECTRIC

5 Kilowatt

PART ID	240V/ 208V	kW HEATING 240V/208V	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-E05A-A12A-A	4.8 / 3.6	16,300 / 12,300	16,300	24 1/8 X 7 1/8	43 1/8	28	32	8	16	321	\$6,740
P-E05A-A18A-A	4.8 / 3.6	16,300 / 12,300	17,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	326	\$6,807
P-E05A-A24A-A	4.8 / 3.6	16,300 / 12,300	24,000	24 1/8 X 7 1/8	43 1/8	28	39	8	16	365	\$6,874

7.5 Kilowatt

PART ID	240V/ 208V	kW HEATING 240V/208V	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-E07A-A12A-A	7.3 / 5.5	24,000 / 18,400	12,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	321	\$6,941
P-E07A-A18A-A	7.3 / 5.5	24,000 / 18,400	17,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	331	\$7,006
P-E07A-A24A-A	7.3 / 5.5	24,000 / 18,400	24,000	24 1/8 X 7 1/8	43 1/8	28	39	8	16	397	\$7,076

10 Kilowatt

PART ID	240V/ 208V	kW HEATING 240V/208V	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-E10A-A12A-A	9.6 / 7.2	32,700 / 24,600	12,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	330	\$7,142
P-E10A-A18A-A	9.6 / 7.2	32,700 / 24,600	17,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	330	\$7,208
P-E10A-A24A-A	9.6 / 7.2	32,700 / 24,600	24,000	24 1/8 X 7 1/8	43 1/8	28	39	8	16	370	\$7,276

15 Kilowatt

PART ID	240V/ 208V	kW HEATING 240V/208V	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-E15A-A12A-A	14.4 / 10.8	49,100 / 36,900	12,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	321	\$7,342
P-E15A-A18A-A	14.4 / 10.8	49,100 / 36,900	17,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	345	\$7,409
P-E15A-A24A-A	14.4 / 10.8	49,100 / 36,900	24,000	24 1/8 X 7 1/8	43 1/8	28	39	8	16	350	\$7,477

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
CWSMUA-TP	Condo Pack 12" Wall Sleeve - Taupe	\$341
CWSMUA19-TP	Condo Pack 19" Wall Sleeve - Taupe	\$391
CAGMMA-ML	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	\$379
CAGMMA-TP	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Painted Standard Taupe	\$527
CAGMMA-XX	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Painted Custom Color	Request Quote

IMPORTANT: For 2 ton units, add 39 to the end of the grille model number, example: CAGMMA39-TP



FEATURES & BENEFITS

- Up to 96.8% AFUE / Thermal Efficiency
- Modular Design
- Architectural Grilles Available - 15 color options available
- Three-piece design allows individual component handling for easy installation and serviceability
- All indoor access to parts and maintenance activities
- Innovative, dual slide out chassis for either heating or cooling components for service
- Both sections can be independently fully or partially removed for servicing
- With spare modules, building management can do quick swap outs to maintain climate in the apartment/condo while troubleshooting non-functioning units off line
- Designed for direct replacement of the individual modules at the end of their service life instead of the complete appliance
- All control harnesses are separated with modular quick disconnects, so module swap outs do not require time consuming rewiring



Wall Sleeve

PART ID	DESCRIPTION	WEIGHT (LBS)	UNIT DIMENSIONS H X W X D (IN)
CWSMUA-TP	Condo Pack 12" Wall Sleeve - Taupe	45	46 7/9 x 32 3/4 x 12
CWSMUA19-TP	Condo Pack 19" Wall Sleeve - Taupe	61	46 7/9 x 32 3/4 x 19



Architectural Grilles

PART ID	DESCRIPTION	WEIGHT (LBS)	UNIT DIMENSIONS H X W X D (IN)
CAGMHA-ML	Architectural Grilles for High Efficiency Gas - Mill Finish, Unpainted	22.5	44 7/8 x 28 7/8 x 1 13/50
CAGMHA-TP	Architectural Grilles for High Efficiency Gas - Painted Standard Taupe	22.5	44 7/8 x 28 7/8 x 1 13/50
CAGMHA-XX	Architectural Grilles for High Efficiency Gas - Painted Custom Color	22.5	44 7/8 x 28 7/8 x 1 13/50

15,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-C15A-T12A-A	96.8%	15,000	12,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	328	\$7,309
P-C15A-T18A-A	96.8%	15,000	17,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	349	\$7,376
P-C15A-T24A-A	96.8%	15,000	23,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	349	\$7,443

30,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-C30A-T12A-A	93.0%	30,000	12,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	328	\$7,309
P-C30A-T18A-A	93.0%	30,000	17,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	349	\$7,376
P-C30A-T24A-A	93.0%	30,000	23,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	349	\$7,443

40,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-C40A-T12A-A	91.7%	40,000	12,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	328	\$7,509
P-C40A-T18A-A	91.7%	40,000	17,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	349	\$7,578
P-C40A-T24A-A	91.7%	40,000	23,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	349	\$7,645

50,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-C50A-T12A-A	90.6%	50,000	12,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	328	\$7,712
P-C50A-T18A-A	90.6%	50,000	17,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	349	\$7,778
P-C50A-T24A-A	90.6%	50,000	23,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	349	\$7,846

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
CWSMUA-TP	Condo Pack 12" Wall Sleeve - Taupe	\$341
CWSMUA19-TP	Condo Pack 19" Wall Sleeve - Taupe	\$391
CAGMHA-ML	Architectural Grilles for High Efficiency Gas - Mill Finish, Unpainted	\$404
CAGMHA-TP	Architectural Grilles for High Efficiency Gas - Painted Standard Taupe	\$564
CAGMHA-XX	Architectural Grilles for High Efficiency Gas - Painted Custom Color	Request Quote



FEATURES & BENEFITS

- Modular Design
- Both sections can be independently fully or partially removed for servicing
- Architectural Grilles Available - 15 color options available
- Three piece design allows individual component handling for easy installation and serviceability
- All indoor access to parts and maintenance activities
- Innovative, dual slide out chassis for either heating or cooling components for service
- With spare modules, building management can do quick swap outs to maintain climate in the apartment/condo while troubleshooting non functioning units off line
- Designed for direct replacement of the individual modules at the end of their service life instead of the complete appliance
- All control harnesses are separated with modular quick disconnects, so module swap outs do not require time consuming rewiring



Wall Sleeve

PART ID	DESCRIPTION	WEIGHT (LBS)	UNIT DIMENSIONS H X W X D (IN)
CWSMUA-TP	Condo Pack 12" Wall Sleeve - Taupe	45	46 7/9 x 32 3/4 x 12
CWSMUA19-TP	Condo Pack 19" Wall Sleeve - Taupe	61	46 7/9 x 32 3/4 x 19



Architectural Grilles

PART ID	DESCRIPTION	WEIGHT (LBS)	UNIT DIMENSIONS H X W X D (IN)
CAGMMA-ML	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	22.5	45 1/8 x 29 x 1 17/25
CAGMMA-TP	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Painted Standard Taupe	22.5	45 1/8 x 29 x 1 17/25
CAGMMA-XX	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Painted Custom Color	22.5	45 1/8 x 29 x 1 17/25

CONDO PACK

12 SEER HIGH-EFFICIENCY ELECTRIC

5 Kilowatt

PART ID	240V/ 208V	kW HEATING 240V/208V	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-E05A-T12A-A	4.8 / 3.6	16,300 / 12,300	12,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	321	\$6,740
P-E05A-T18A-A	4.8 / 3.6	16,300 / 12,300	17,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	331	\$6,807
P-E05A-T24A-A	4.8 / 3.6	16,300 / 12,300	23,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	331	\$6,874

7.5 Kilowatt

PART ID	240V/ 208V	kW HEATING 240V/208V	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-E07A-T12A-A	7.3 / 5.5	24,000 / 18,400	12,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	322	\$6,941
P-E07A-T18A-A	7.3 / 5.5	24,000 / 18,400	17,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	332	\$7,006
P-E07A-T24A-A	7.3 / 5.5	24,000 / 18,400	23,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	332	\$7,076

10 Kilowatt

PART ID	240V/ 208V	kW HEATING 240V/208V	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-E10A-T12A-A	9.6 / 7.2	32,700 / 24,600	12,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	323	\$7,142
P-E10A-T18A-A	9.6 / 7.2	32,700 / 24,600	17,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	333	\$7,208
P-E10A-T24A-A	9.6 / 7.2	32,700 / 24,600	23,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	333	\$7,276

15 Kilowatt

PART ID	240V/ 208V	kW HEATING 240V/208V	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-E15A-T12A-A	14.4 / 10.8	49,100 / 36,900	12,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	324	\$7,342
P-E15A-T18A-A	14.4 / 10.8	49,100 / 36,900	17,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	334	\$7,409
P-E15A-T24A-A	14.4 / 10.8	49,100 / 36,900	23,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	334	\$7,477

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
CWSMUA-TP	Condo Pack 12" Wall Sleeve - Taupe	\$341
CWSMUA19-TP	Condo Pack 19" Wall Sleeve - Taupe	\$391
CAGMMA-ML	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	\$379
CAGMMA-TP	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Painted Standard Taupe	\$527
CAGMMA-XX	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Painted Custom Color	Request Quote

HIGH-EFFICIENCY CFM AT EXTERNAL STATIC PRESSURE, INCHES WATER COLUMN


PART ID	HEATING	SETTING	SPEED TAP#	0.1"	0.2"	0.3"	0.4"	0.5"
C15A	15 kBTU/h	FACTORY	5	440	390	330	295	240
		HIGH	4	570	530	495	470	415
C30A	30 kBTU/h	FACTORY	4	770	745	730	705	695
		HIGH	3	770	745	730	705	695
C40A	40 kBTU/h	FACTORY	3	770	745	730	705	695
		HIGH	2	925	910	885	870	840
C50A	50 kBTU/h	FACTORY	2	925	910	885	870	840
		HIGH	N/A	N/A	N/A	N/A	N/A	N/A
A12A	1.0 ton	FACTORY	5	440	390	330	295	240
		HIGH	4	570	530	495	470	415
A18A	1.5 ton	FACTORY	1	645	600	560	530	470
		HIGH	3	770	745	730	705	695
A24A	2.0 ton	FACTORY	1	830	810	780	760	720
		HIGH	2	925	910	885	870	840

AIRFLOW - 1.0 & 1.5 TON MODELS - SCFM AT EXTERNAL STATIC PRESSURE IN W.C.

HEATING								
PART ID	BTU/H	SETTING	SPEED	0.1"	0.2"	0.3"	0.4"	0.5"
S26A	26K	FACTORY	5	430	430	405	330	285
		HIGH	4	565	535	525	490	420
S38A	38K	FACTORY	4	565	535	525	490	420
		HIGH	3	3770	745	730	710	690
S51A	51K	FACTORY	3	770	745	730	710	690
		HIGH	2	930	900	885	865	860
S64A	64K	FACTORY	2	930	900	885	865	860
		HIGH	N/A	N/A	N/A	N/A	N/A	N/A
HEATING								
PART ID	BTU/H	SETTING	SPEED	0.1"	0.2"	0.3"	0.4"	0.5"
A12A	1.0 TON	FACTORY	5	430	430	405	330	285
		HIGH	4	565	535	525	490	420
A18A	1.5 TON	FACTORY	1	665	630	620	575	500
		HIGH	3	770	745	730	710	690

AIRFLOW - 2.0 TON MODELS - SCFM AT EXTERNAL STATIC PRESSURE IN W.C.

HEATING								
PART ID	BTU/H	SETTING	SPEED	0.1"	0.2"	0.3"	0.4"	0.5"
S26A	26K	FACTORY	5	455	410	380	330	290
		HIGH	4	555	530	500	475	430
S38A	38K	FACTORY	4	555	530	500	475	430
		HIGH	3	770	755	725	710	675
S51A	51K	FACTORY	3	790	770	740	715	695
		HIGH	2	955	935	910	885	855
S64A	64K	FACTORY	2	955	935	910	885	855
		HIGH	N/A	N/A	N/A	N/A	N/A	N/A
COOLING								
PART ID	BTU/H	SETTING	SPEED	0.1"	0.2"	0.3"	0.4"	0.5"
A24A	2.0 TON	FACTORY	1	870	840	820	795	775
		HIGH	2	955	935	910	885	855



12 SEER DUCT ONLY

PART ID	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-DNHA-T12A-A	12,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	309	\$5,313
P-DNHA-T18A-A	17,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	320	\$5,994
P-DNHA-T24A-A	23,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	320	\$6,285

11 EER DUCT ONLY

PART ID	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-DNHA-A12A-A	12,000	24 1/8 X 8 1/4	43	28	32	8	16	309	\$5,109
P-DNHA-A18A-A	17,000	24 1/8 X 8 1/4	43	28	32	8	16	309	\$5,763
P-DNHA-A24A-A	24,000	24 1/8 X 8 1/4	43	28	32	8	16	397	\$6,044



Architectural Grilles

PART ID	DESCRIPTION	WEIGHT (LBS)	UNIT DIMENSIONS H X W X D (IN)
CAGMMA-ML	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	22.5	45 1/8 x 29 x 1 17/25
CAGMMA-TP	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Painted Standard Taupe	22.5	45 1/8 x 29 x 1 17/25
CAGMMA-XX	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Painted Custom Color	22.5	45 1/8 x 29 x 1 17/25

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
CWSMUA-TP	Condo Pack 12" Wall Sleeve - Taupe	\$341
CWSMUA19-TP	Condo Pack 19" Wall Sleeve - Taupe	\$391
CAGMMA-ML	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	\$379
CAGMMA-TP	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Painted Standard Taupe	\$527
CAGMMA-XX	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Painted Custom Color	Request Quote



NAPOLEON

CELEBRATING OVER 40 YEARS OF HOME COMFORT PRODUCTS



napoleon.com

24 Napoleon Road, Barrie, Ontario, L4M 0G8
103 Miller Drive, Crittenden, Kentucky, USA 41030
7200 Trans Canada Highway, Montreal, Quebec H4T 1A3

PHONE: 1-888-721-7253
hvacsales@napoleon.com